


Material Safety Data Sheet



MSD036

Rev. A

Updated: 2/2/06



1.0 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: 150NT

Chemical Name: Base Oil

Graco Inc.

P.O. Box 1441

60 11th Ave. NE

Minneapolis, MN 55440-1441

Part Number(s): TBD

Use: Paint spray gun lubrication

Emergency Information

Health Emergency (RMPC): (303)- 623-5716

Chemical Spills (Chemtrec): (800)- 424-9300

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION

<u>Components</u>	<u>Amount (%)</u>	<u>Limit</u>
Lubricating oil (petroleum)	100	5 mg/m ³ TWA-OSHA (Mineral Oil Mist)
Solvent-extd, Dewaxed, Hydrogenated		5 mg/m ³ TWA-ACGIH (Mineral Oil Mist)
CAS No. 101316-71-6		

SECTION 3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Warning statement:

Caution! Prolonged or repeated contact with skin may cause irritation in some cases.

Precautionary Measures:

Avoid breathing vapor and mist. Keep container closed.

Avoid contact with eyes, skin, and clothing.

Wash thoroughly after handling. Keep away from heat.

Potential health effect:

Eyes: May cause minor irritation.

Skin: May cause minimal skin irritation.

Inhalation: Vapor or mist, in excess or permissible concentrations, or in unusually high concentrations generated from spraying, heating the material, or as from exposure in poorly ventilated areas or confined spaces, may cause irritation of the nose and throat, headache, nausea, and drowsiness.

Ingestion: May cause abdominal discomfort, nausea, or diarrhea.

Sensitization properties: Unknown

Chronic Properties: If prolonged exposure occurs, nausea, headache, diarrhea, and physical discomfort.

Other remarks: None

SECTION 4. FIRST AID MEASURES

Eyes:	Flush immediately with water for at least 15 minutes. Get immediate medical attention.
Skin:	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.
Inhalation:	Remove exposed person to fresh air if adverse effects are observed.
Ingestion:	Do not make person vomit unless directed to do so by medical personnel.
Note to physician:	Treat symptomatically.

SECTION 5. FIRE FIGHTING MEASURES

Flash point (Typical), °C	218(COC)
Autoignition temp, °C	Not Determined.
Flammability limits:	Not Determined.
Extinguishing media:	CO ₂ , dry chemical, or foam.
Special fire fighting procedures:	Recommend wearing self-contained breathing apparatus. Water may cause splattering, material will float on water.
Unusual fire & explosion hazards:	Toxic fumes, gases or vapors may evolve on burning.
Explosion data:	Material does not have explosive properties.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Procedures in Case of Accidental Release, Breakage or Leakage:

Stop the source of the leak or release. Clean up releases as soon as possible. Contain liquid to prevent further Contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.

SECTION 7. HANDLING AND STRAGE

Do not weld, heat or drill container. Replace cap or bung. Emptied container still contains hazardous material which may ignite with explosive violence if heated sufficiently.

Minimum feasible handling temperatures should be maintained.

Periods of exposure to high temperatures should be minimized.

Water contamination should be avoided.

CAUTION: Don not use pressure to empty drum or drum may rupture with explosive force.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:	Chemical type goggles or face shield optional.
Skin Protection:	Avoid prolonged or frequently repeated skin contact by wearing impervious protective clothing including gloves.
Respiratory Protection:	Wear a breathing mask.
Ventilation:	No special ventilation is usually necessary, however, if operating conditions create high air borne concentrations of this material, special ventilation may be needed.
Other clothing and Equipment:	No special clothing or equipment is usually necessary.
Work practices, hygienic practices:	No information is available.
Other handling and storage requirements:	No information is available.
Protective measures during maintenance of contaminated equipment:	No Data Available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Odor		Slight petroleum odor
Appearance		Pale yellow colored liquid
Boiling point	°C	300-515
Solubility		Insoluble in water
Density	@ 15°C, g/cm ³	0.870
Pour point	°C	-12.5
DMSO Extract	mass % (IP 346)	< 3

SECTION 10. STABILITY AND REACTIVITY

Stability:	Stable
Conditions to Avoid:	See the Handling and storage section for further details.
Incompatibility (materials to avoid):	Acids, Oxidizing agents, Halogens and halogenated compounds.
Hazardous Polymerization:	Will not occur

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Oral:	No Data Available:	Believed to be greater than 5 g/kg (rat) Practically non-toxic
Dermal:	No Data Available:	Believed to be greater than 3 g/kg (rabbit) Practically non-toxic
Carcinogen:	OSHA:	This material is listed as Group 3 by IARC
	EU:	No classification recommended

SECTION 12. ECOLOGICAL INFORMATION

Biodegradation:	No Data Available
Environmental fate:	This material is not expected to present any environmental problems other than those associated with oil spills.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:
Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.
Contact local environmental or health authorities for approved disposal of this material.

SECTION 14. TRANSPORT INFORMATION

The description shown may not apply to all shipping situations

DOT Proper Shipping Name:	Not applicable.
IMDG Proper Shipping Name:	Not applicable.
ICAD Proper Shipping Name:	Not applicable.
TDG Proper Shipping Name:	Not applicable.
NFPA Proper name:	Class 1.
UN Number:	Not applicable.

SECTION 15. REGULATION INFORMATION

The U.S.TSCA Inventory: Yes
The EC EINECS Inventory: Yes

SECTION 16: OTHER INFORMATION

None

References:

1. Handbook of Toxic and Hazardous Chemicals and Carcinogens (2nd ed.)
2. Registry of Toxic Effects of Chemical Substances (niosh, 1985)

Material safety data sheets are provided as reference information on the safe handling of hazardous or harmful materials to companies using such materials. When referring to this data sheet, companies should remember that they must take responsibility for implementing the proper measures for their own particular situations, This data sheet is not a guarantee of safety.

Prepared By: John Ingebrand	Graco, Inc.
------------------------------------	-------------

This Material Safety Data Sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this data sheet which we have received from sources outside our company. We believe that information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this Data Sheet may not be adequate for all individuals and/or situations. It is the users' obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.

NOTES: NA = Not Applicable; NE = Not Established; UN = Unavailable

All written and visual data contained in this document reflects the latest product information available at the time of publication.

Graco reserves the right to make changes at any time without notice.

Sales Offices: Minneapolis, Detroit,

International Offices: Belgium, Korea, Hong Kong, Japan

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441

www.graco.com

PRINTED IN U.S.A.